

# Colortrac Scanners enhanced

A Versatile range of High Performance Colour & Monochrome Solutions now with enhanced features and exceptional performance for copying and scanning.




- Glassless Scan Path - for unique streak free scanning
- Vivid Colours - (sRGB) - the industry's best colour fidelity
- 2 Year Warranty
- Firewire - Plug 'n' Play
- Full Software Suite Included
- High Resolution - upto 2400dpi
- High Speed Colour and Monochrome
- 36", 42", 48" & 54" width models

# Colortrac Scanners **enhanced**

With over 50 years combined scanning expertise ACTion Imaging Solutions bring together technology from 4 leading manufacturers; ANAtch, Colortrac, Tangent and Scangraphics. ACTion Imaging Solutions provide a complete system with all the scanning hardware and software you'll need for perfect scans and copies every time. Colortrac Scanners are designed to provide a flexible range of formats and quality options to meet your needs whatever the application. Whether it be maps, monochrome line drawings, detailed colour photographs or 12mm thick display boards you'll get accuracy and quality with maximum workflow productivity.

**Formats and Resolutions.** The Colortrac scanners are available in a range of four carefully selected scan widths handling originals up to 12mm thick and three optical resolution options, providing the best performance, quality and value for money. Use the market sector diagram as a guide to the optimum model for your application.



- 36" width - 1200 dpi:  
General A0/E Raster imaging, archiving and copying applications
- 36" width - 2400 dpi:  
A0/E GIS & CAD scanning, archiving and graphics copying
- 42" width - 1800 dpi:  
B0 high speed GIS & CAD scanning, archiving and graphics copying
- 42" width - 2400 dpi:  
B0 advanced GIS & CAD scanning, archiving & graphics copying
- 48" width - 1800 dpi:  
A0/E landscape format, general graphics imaging & copying
- 54" width - 2400 dpi:  
A0/E landscape, professional imaging services, GIS & LF copying

(see back page for detailed model specification)


**Open Scan Aperture.** Tired of streaks spoiling your scans and constant time consuming cleaning of scan glass? Acting directly on customer feedback, Colortrac developed a sophisticated glass-less media scan path to ensure high quality, 'streak' free, copies & scans that save end users time, money and reduce media waste.

**Illumination.** Folded and creased originals could cause annoying shadowing effects on scans and copies but this is now eliminated by using a transparent material at the original path, maximizing the depth of illumination.

**Automatic Camera Alignment (AutoStitch).** Colortrac scanners have a fully automatic digital CCD alignment tool that enables users to perform camera to camera stitching as a simple software operation. There is no need to remove panels or to get your screwdriver out to align cameras. Once the alignment is set, ACTion Imaging's pivoted, three point mounted chassis and optics ensures that it stays SET, and stable, even when the scanner is moved or re-located within the premises.

**Colour Calibration.** All scanners use Dynamic Normalisation Application (DNA) with 12-bit super sampled data to analyze and automatically set 'dark' and 'light' levels. The colour data is sent to the application s/w in its raw form with no calibration scheme imposed that can limit the range of colours available from the scanner. Alternatively, scan in industry standard sRGB colour space enabling colour management systems to process the data accurately and specifically for the rendering device selected, thus ensuring the best possible colour reproduction.

400Mb/s FIREWIRE and 40 MB/s Ultra Wide SCSI interfaces. Why limit yourself to one interface when you can have the use of either Firewire with the convenience of plug and play, long cable lengths still with data speed to spare or SCSI, the tried and tested professionals solution. Either method ensure that, given a fast enough PC and hard disk system, you can ACHIEVE the highest scanning speeds. Even if you don't need to with today's printer speed, your investment is protected with performance to spare for tomorrow's PC and printer developments.



# Included Software

## ScanWorks V2 - Scanning Software



- Intuitive viewing & editing 4 Works the way **you** like to work
- Batch scanning with Presets 4 Automatic setup & consistent quality
- Scan once, edit many, archive 4 Maximum workflow efficiency

### Scanning

- 24-bit RGB, 256 & 16 colour optimised palette, 256 level greyscale, black & white
- Single Image or Batch file scanning with automatic original detection & scan
- Utilities for scanner calibration and fully automatic camera stitching
- ISO, American and Auto-size to original document

### User Interface & Document Viewing Tools

- Simple, intuitive user interface with Icon Buttons for most scan & imaging functions
- Real time 1:1 zoom view and pan while scanning
- Full Screen Viewing mode including pan.
- Thumbnail view of entire image for zoom reference & navigation
- Loupe view with selectable 100, 200, 400% zoom

### Image Filtering Tools

- Sharpen / Blur filters
- Noise removal filters to reduce screen patterns etc.
- Tone Reproduction Curve editor for RGB or R,G,B
- Gamma, brightness, contrast and black & white point adjustment
- De-skew to any angle, Rotate 90° CW & CCW
- Crop to selected area, Mirror about Y axis
- Convert from current or saved image type to another
- Invert Greyscale or B&W images
- De-speckle with variable spot size
- Adaptive 2D and Fixed Thresholding for B&W
- Undo and Tool Reset buttons

### Archiving

- Auto indexing file names
- File name Browse / Create
- Presets - Create / Save / Open; proven scanner & filter setups
- Multiple industry standard raster file formats including TIFF, JPEG, JPEG2000, PDF, PNG, CALS G4

### Batch Processing and Scheduling

- Batch process scanned archives with a choice of image filtering tools and file conversions.
- Use Batch Scheduler to run unattended batch processing when the workstation is available or for overnight runs.

### General Preferences

- Select units, language and temporary files location.

## CopyWorks V2 - Copying Software



- Single button operation 4 Anyone can operate it
- ICC profile control 4 Industry standard colours
- Closed Loop ICC Calibration 4 Consistent Colour

### Scanning

- Colour photos, posters & prints, monochrome photos & greyscale, black & white drawings
- Image processing filters optimised for photographic, map or line art (text) originals
- ISO, American and Auto-size to original document
- Single copy with Variable Scaling (1 to 10,000%)

### Viewing

- Pre-scan with selectable preview resolution
- Zoom & pan
- Black & white points and brightness adjustment

### Copying

- Control for printer quality mode and resolution
- Step & Repeat with adjustable margin & mirror printing for back-lit or transfer media

## CopyWorks Profiler - ICC Profiling Software

Create industry standard ICC profiles for your scanner and printer to ensure accurate colour reproductions of your originals, giving more versatility than proprietary closed loop processes and greater compatibility with enterprise wide colour management systems.

## TWAIN Interface


An industry standard TWAIN interface is provided for both PC and MAC\* platforms. (\*SCSI interface only)

# Software Options

## CopyWorks Pro

An enhanced version of CopyWorks with additional features.

- Simultaneous copy and archive of scanned image 'on-the-fly'
- Multiple copies (1 to 99)
- Scan to file
- Text & Bitmap (logo) insertion via Pre-scan
- Simultaneous output to two local and/or networked LF printers
- Paneling with adjustable overlap margins
- CMYK sliders for fine adjustment of ink levels and colour match
- Colour calibrated print from file
- Build your own scanning presets
- Add new printer wizard
- Adjust Highlights, Midtones and shadows via colour sliders.





# Colortrac enhanced Scanners - Technical Specifications


	5480e	4280e	4860e	3680e	4260e	3640e
Resolution (selectable in 1 dpi steps)						
~ optical (dpi)	400	400	300	400	300	200
~ maximum (dpi)	2400	2400	1800	2400	1800	1200
Active Scan Area (inches / cm)	54 / 137.2 x unlimited	42 / 106 x unlimited	48 / 121.9 x unlimited	36 / 91.4 x unlimited	42 / 106 x unlimited	36 / 91.4 x unlimited
Maximum Document Width (inches /cm)	55 / 139.7	43 / 109.2	55 / 139.7	43 / 109.2	43 / 109.2	43 / 109.2
Scan Rates* inches per second @	400dpi(turbo)	400dpi(turbo)	300dpi(turbo)	400dpi(turbo)	300dpi(turbo)	200dpi(turbo)
~ colour	1.5"/s	1.5"/s	2.66"/s	2.0"/s	2.66"/s	4.0"/s
~ greyscale (R2GB)	1.5"/s	1.5"/s	2.66"/s	2.0"/s	2.66"/s	4.0"/s
~ greyscale (Greenscale)	4.5"/s	4.5"/s	4.0"/s	6.0"/s	4.0"/s	6.0"/s
~ black & white	4.5"/s	4.5"/s	4.0"/s	6.0"/s	4.0"/s	6.0"/s
Imaging Technology	3 cameras	3 cameras	2 cameras	2 cameras	2 cameras	1 camera
<p>All models use tri-linear CCD cameras of 7,500 pixels width            Open Aperture, glassless image path for streak free scanning            36-bit Primary Point Digital Data Capture            Fully automatic digital camera stitching (Front/Back &amp; Left/Right)            Isolated chassis and 3-point optics mountings</p>						
Scan Accuracy	+/- 0.1% plus a digitising rounding error of +/- 1 pixel					
Media Handling	Maximum media thickness 0.47", 12mm, adjustable in 1mm steps / Twin pinch rollers					
Document Type	Opaque or Translucent					
Illumination & Optics	Twin long life colour balanced Daylight Blue tubes, Apochromatic Lenses					
Colour & Image Processing	Gamma & Brightness, Automatic Light Level adjustment Black & White Point adjustment ICC colour device characterisation profile (sRGB) Downloadable Indexed Colour Paletting Image Sharpening Hardware					
Monochrome Thresholding	2D Intelligent Adaptive Thresholding Hardware (IAT)					
Output Modes Interface	24-bit RGB Colour / 256 & 16 Colour Optimised Palette, 256 Level Greyscale (R2GB & Greenscale) / Black & White FireWire (400Mb/s), Ultra Wide SCSI (upto 40 MB/s)					
Equipment ~ dimensions	<b>5480e / 4860e</b> 39" H x 67" W x 20" D 99cm x 170cm x 51cm		<b>4280e / 4260e / 3680e / 3640e</b> 39" H x 56" W x 20" D 99cm x 142cm x 51cm			
~ weight	143Lbs, 65Kgs		132Lbs, 60Kgs			
~ operating environment	59 ~ 86 F, 15 ~ 30 C, 15 ~ 85 % RH, non-condensing					
~ power requirements	90 ~ 250 VAC autosensing, 47 ~ 63 Hz, 250 VA					

**Colortrac Scanners Include** ScanWorks (including BatchWorks), CopyWorks (including Profiler), TWAIN (PC & MAC), Firewire Card and Cable, Localised Power Cable.

**Options**  
CopyWorks Pro, Unix Software, Media Support Tray

**Minimum System Requirements**  
Pentium 1GHz Processor / 128MB RAM / 10GB Disk Space / 24-bit Graphics Display Card  
Windows™ 2000 / ME / XP

\* The scan rate is proportional across the full range of resolutions supported by the scanner. However, the actual scan times will depend on the host system performance. Contact your local supplier for advice on the optimum system configuration for your application.



**NEW FILE FORMATS  
PDF & JPEG2000**

**info@colortrac.com    www.colortrac.com**  
 UK Office • Kings Hall • St Ives Business Park • St Ives • Huntingdon • Cambridgeshire • PE27 4WY  
 T +44 (0)1480 464618 • F +44 (0)1480 464620  
 US Office • 17301 West Colfax Avenue • Suite 165 • Golden • Colorado • 80401-4891 • USA  
 T +1 215 699 1293 • F +1 215 699 1294 • T +1 480 515 1642 • F +1 480 515 1643

